LISTING OF THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A compound of general formula (I):

$$(X)_n$$
 R^3
 R^4
 $(Y)_p$
 (I)

in which:

- n is 1, 2, or 3;
- p is 1, 2, 3 or 4;
- R^a is a C₁-C₆-halogenoalkyl having 1 to 5 halogen atoms;
- each substituent X is chosen, independently of the others, as being a hydrogen atom, a halogen atom, a C₁-C₆-alkyl or a C₁-C₆-halogenoalkyl;
- R¹ and R² are chosen independently of each other as being a hydrogen atom, a halogen atom, a cyano group, a hydroxy group, an amino group, a sulfanyl group, a formyl group, a formyloxy group, a formylamino group, a carboxy group, a carbamoyl group, a N-hydroxycarbamoyl group, a carbamate group, a (hydroxyimino)-C₁-C₆-alkyl group, a C₁-C₆-alkyl, a C₂-C₆-alkenyl, a C₂-C₆-alkynyl, a C₁-C₆-alkylamino, a di-C₁-C₆-alkylamino, a C₁-C₆-alkoxy, a C₁-C₆-halogenoalkyl having 1 to 5 halogen atoms, a C₁-C₆-halogenoalkoxy having 1 to 5 halogen atoms, a C₁-C₆-alkylsulfanyl, a C₁-C₆-halogenoalkylsulfanyl having 1 to 5 halogen atoms, a C₂-C₆-alkenyloxy, a C₂-C₆-halogenoalkenyloxy having 1 to 5 halogen atoms, a C₃-C₆-alkynyloxy, a C₃-C₆-halogenoalkynyloxy having 1 to 5 halogen atoms, a C₃-C₆cycloalkyl, a C₃-C₆-halogenocycloalkyl having 1 to 5 halogen atoms, a C₁-C₆alkylcarbonyl, a C₁-C₆-halogenoalkylcarbonyl having 1 to 5 halogen atoms, a C₁-C₆alkylcarbamoyl, a di-C₁-C₆-alkylcarbamoyl, a N-C₁-C₆-alkyloxycarbamoyl, a C₁-C₆alkoxycarbamoyl, a $N-C_1-C_6$ -alkyl- C_1-C_6 -alkoxycarbamoyl, a C_1-C_6 -alkoxycarbonyl, a C₁-C₆-halogenoalkoxycarbonyl having 1 to 5 halogen atoms, a C₁-C₆alkylcarbonyloxy, a C₁-C₆-halogenoalkylcarbonyloxy having 1 to 5 halogen atoms, a C₁-C₆-alkylcarbonylamino, a C₁-C₆-halogenoalkylcarbonylamino having 1 to 5 halogen atoms, a C₁-C₆-alkylaminocarbonyloxy, a di-C₁-C₆-alkylaminocarbonyloxy, C1-C6- C_1 - C_6 -alkyloxycarbonyloxy, C₁-C₆-alkylsulphenyl, a

halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylsulphinyl, a C_1 - C_6 -halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylsulphonyl, a C_1 - C_6 -halogenoalkylsulphonyl having 1 to 5 halogen atoms, a benzyl, a benzyloxy, a benzylsulfanyl, a benzylsulfinyl, a benzylsulfonyl, a benzylsulfonyl, a phenylsulfanyl, a phenylsulfinyl, a phenylsulfonyl, a phenylsulfonyl, a phenylsulfonyl, a phenylamino, a phenylcarbonylamino, a 2,6 dichlorophenyl-carbonylamino group or a phenyl group; or R^1 and R^2 may form together a cyclopropyl, a cylcobutyl, a cyclopentyl or a cyclohexyl;

- R³ and R⁴ are chosen independently of each other as being a hydrogen atom, a halogen atom, a cyano group, a hydroxy group, an amino group, a sulfanyl group, a formyl group, a carboxy group, a carbamoyl group, a N-hydroxycarbamoyl group, a carbamate group, a (hydroxyimino)-C₁-C₆-alkyl group, a C₁-C₆-alkyl, a C₂-C₆alkenyl, a C₂-C₆-alkynyl, a C₁-C₆-alkylamino, a di-C₁-C₆-alkylamino, a C₁-C₆alkoxy, a C₁-C₆-halogenoalkyl having 1 to 5 halogen atoms, a C₁-C₆-halogenoalkoxy having 1 to 5 halogen atoms, a C₁-C₆-alkylsulfanyl, a C₁-C₆-halogenoalkylsulfanyl having 1 to 5 halogen atoms, a C₂-C₆-alkenyloxy, a C₂-C₆-halogenoalkenyloxy having 1 to 5 halogen atoms, a C₃-C₆-alkynyloxy, a C₃-C₆-halogenoalkynyloxy having 1 to 5 halogen atoms, a C₃-C₆-cycloalkyl, a C₃-C₆-halogenocycloalkyl having 1 to 5 halogen atoms, a C₁-C₆-alkylcarbonyl, a C₁-C₆-halogenoalkylcarbonyl having 1 to 5 halogen atoms, a N-C₁-C₆-alkyloxycarbamoyl, a C₁-C₆-alkoxycarbamoyl, a N-C₁-C₆-alkyl-C₁-C₆-alkoxycarbamoyl, a C₁-C₆-halogenoalkoxycarbonyl having 1 to 5 halogen atoms, a C₁-C₆-alkylcarbonyloxy, a C₁-C₆-halogenoalkylcarbonyloxy having halogen atoms, a C₁-C₆-alkylcarbonylamino, 5 halogen $C_{1}-C_{6}$ halogenoalkylcarbonylamino having 1 to atoms, a di-C₁-C₆-alkylaminocarbonyloxy, $C_{1}-C_{6}$ alkylaminocarbonyloxy, a alkyloxycarbonyloxy, a C₁-C₆-alkylsulphenyl, a C₁-C₆-halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C₁-C₆-alkylsulphinyl, a C₁-C₆-halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C₁-C₆-alkylsulphonyl, a C₁-C₆-halogenoalkylsulphonyl having 1 to 5 halogen atoms, a benzyl, a benzyloxy, a benzylsulfanyl, a benzylsulfinyl, a benzylsulfonyl, a benzylamino, a phenoxy, a phenylsulfanyl, a phenylsulfinyl, a phenylsulfonyl, a phenylsulfonyl, a phenylsulfonyl, a 2,6 dichlorophenyl-carbonylamino group or a phenyl group;

with the proviso that when three of the four substituents R^1 , R^2 , R^3 and R^4 are a hydrogen atom, then the fourth substituent is not a hydrogen atom;

- R^5 is chosen as being a hydrogen atom, a cyano group, a formyl group, a hydroxy group, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, a

 C_1 - C_6 -alkoxy, a C_1 - C_6 -halogenoalkoxy having 1 to 5 halogen atoms, a C_3 - C_6 -halogenocycloalkyl having 1 to 5 halogen atoms, a C_2 - C_6 -alkenyl, a C_2 - C_6 -alkynyl, a C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, a C_1 - C_6 -cyanoalkyl, a C_1 - C_6 -aminoalkyl, a C_1 - C_6 -alkylamino- C_1 - C_6 -alkylamino- C_1 - C_6 -alkylcarbonyl, a C_1 - C_6 -halogenalkylcarbonyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkyloxycarbonyl, a C_3 - C_7 -cycloalkyl, a C_3 - C_7 -halogenocycloalkyl having 1 to 5 halogen atoms, a C_3 - C_7 -cycloalkyl- C_1 - C_6 -alkyl, a C_1 - C_6 -benzyloxycarbonyl, a C_1 - C_6 -alkoxy- C_1 - C_6 -alkylcarbonyl, a C_1 - C_6 -alkylsulfonyl or a C_1 - C_6 -halogenoalkylsulfonyl having 1 to 5 halogen atoms;

- Y is the same or different and is a hydrogen atom, a halogen atom, a nitro group, a cyano group, a hydroxy group, an amino group, a sulfanyl group, a pentafluoro- \Box^6 -sulfanyl group, a formyl group, a formyloxy group, a formylamino group, a carboxy group, a C_1 - C_8 -alkyl, a C_1 - C_8 -halogenoalkyl having 1 to 5 halogen atoms, a C_2 - C_8 -alkenyl, a C_2 - C_8 -alkynyl, a C_1 - C_8 -alkylamino, a di- C_1 - C_8 -alkylamino, a C_1 - C_8 -alkoxy, a C_1 - C_8 -halogenoalkoxy having 1 to 5 halogen atoms, a C_1 - C_8 -alkoxy- C_2 - C_8 -alkenyl, a C_1 - C_8 -alkoxycarbonyl, a C_1 - C_8 -halogenoalkylsulfanyl having 1 to 5 halogen atoms, a C_1 - C_8 -halogenoalkylcarbonyloxy having 1 to 5 halogen atoms, a C_1 - C_8 -alkylsulphenyl, a C_1 - C_8 -halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C_1 - C_8 -alkylsulphinyl, a C_1 - C_8 -halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1 - C_8 -alkylsulphinyl, a C_1 - C_8 -halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1 - C_8 -alkylsulphinyl, a C_1 - C_8 -halogenoalkylsulphinyl having 1 to 5 halogen atoms or a C_1 - C_8 -alkylsulphonyl, a C_1 - C_8 -halogenoalkylsulphinyl having 1 to 5 halogen atoms or a C_1 - C_8 -alkylsulphonyl, a C_1 - C_8 -halogenoalkylsulphonyl having 1 to 5 halogen atoms or a C_1 - C_8 -alkylsulfonamide; and

- R^b is a halogen atom, a nitro group, a cyano group, an amino group, a sulfanyl group, a pentafluoro- \Box^6 -sulfanyl group, a formyl group, a formyloxy group, a formylamino group, a carboxy group, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, a C_2 - C_6 -alkenyl, a C_2 - C_6 -alkylamino, a C_1 - C_6 -alkoxy, a C_1 - C_6 -halogenoalkoxy having 1 to 5 halogen atoms, a C_1 - C_6 -alkoxy- C_2 - C_6 -alkenyl, a C_1 - C_6 -alkylsulfanyl, a C_1 - C_6 -halogenoalkylsulfanyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylcarbonyloxy, a C_1 - C_6 -halogenoalkylcarbonyloxy having 1 to 5 halogen atoms, a C_1 - C_6 -alkylsulphenyl, a C_1 - C_6 -halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylsulphinyl, a C_1 - C_6 -halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylsulphinyl, a C_1 - C_6 -halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylsulphonyl, a C_1 - C_6 -halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylsulphonyl, a C_1 - C_6 -halogenoalkylsulphonyl having 1 to 5 halogen atoms or a C_1 - C_6 -alkylsulfonamide;

as well as its salts, N-oxydes, metallic complexes, metalloidic complexes and optically active isomers.

- 2. (Original) A compound according to claim 1, characterised in that n is 1 or 2.
- 3. (Currently amended) A compound according to claim 1 or 2, characterised in that X is a halogen atom.
- **4.** (Original) A compound according to claim 3, characterised in that X is chlorine.
- 5. (Currently amended) A compound according to any of the claims 1 to 4, claim 1 characterised in that R^a is -CF₃.
- **6.** (Currently amended) A compound according to any of the claims 1 to 5, claim 1 characterised in that the 2-pyridyl is substituted in 3- and/or in 5-position.
- 7. (Original) A compound according to claim 6, characterised in that the 2-pyridyl is substituted in 3-position by X and in 5-position by R^a.
- **8.** (Currently amended) A compound according to any of the claims 1 to 7, claim 1 characterised in that the 2-pyridyl is substituted in 3-position by -Cl and in 5-position by -CF₃.
- **9.** (Currently amended) A compound according to any of the claims 1 to 8, claim 1 characterised in that R^b is a halogen atom, a C_1 - C_6 -alkyl, a C_1 - C_6 -alkoxy or a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms.
- 10. (Currently amended) A compound according to any of the claims 1 to 9, claim 1 characterised in that p is 1.
- 11. (Currently amended) A compound according to any of the claims 1 to 10, claim 1 characterised in that Y is a hydrogen atom, a halogen atom or a C_1 - C_6 -alkyl.
- 12. (Currently amended) A compound according to any of the claims 1 to 11, claim 1 characterised in that R^1 and R^2 are chosen, independently of each other, as being a hydrogen atom, a halogen atom, a cyano group, a hydroxy group, a C_1 - C_6 -

alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, a C_2 - C_6 -alkenyl, a C_1 - C_6 -alkylsulfanyl, a C_1 - C_6 -alkylsulfanyl, a C_1 - C_6 -alkylsulfinyl, a C_1 - C_6 -alkylcarbonylamino, a C_1 - C_6 -alkoxycarbonyloxy, a C_1 - C_6 -alkoxycarbonylamino or a phenyl group.

- 13. (Original) A compound according to claim 12, characterised in that R^1 and R^2 are chosen, independently of each other, as being a halogen atom, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylcarbonylamino.
- 14. (Currently amended) A compound according to any of the claims 1 to 13, claim 1 characterised in that R^3 and R^4 are chosen, independently of each other, as being a hydrogen atom, a halogen atom, a cyano group, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylcarbonylamino or a phenyl group.
- 15. (Original) A compound according to claim 14, characterised in that R^3 and R^4 are chosen, independently of each other, as being a halogen atom, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms or a phenyl group.
- **16.** (Currently amended) A compound according to any of the claims 1 to 13, claim 1 characterised in that R^5 is a hydrogen atom or a C_3 - C_7 -cycloalkyl.
- 17. (Currently amended) A process for the preparation of a compound of general formula (I) as defined in any of the claims 1 to 16 claim 1, which comprises reacting a 2-pyridine derivative of general formula (II) or one of its salt:

$$(X)_{n} \xrightarrow{R^{a}} R^{4} H$$

$$R^{1} \xrightarrow{R^{2}} R^{5} \qquad (II)$$

in which X, n, R^a , R^1 , R^2 , R^3 , R^4 and R^5 are as in any of the preceding claims; with a carboxylic acid derivative of the general formula (III)

$$L^{2} \bigvee_{\mathbf{R}^{b}} (\mathbf{Y})_{\mathbf{p}} \qquad (\mathbf{III})$$

in which:

- Y, p and R^b-are as defined in any of the preceding claims; and

- L^2 is a leaving group chosen as being a halogen atom, a hydroxyl group, -OR⁶, -OCOR⁶, R⁶ being a C₁-C₆ alkyl, a C₁-C₆ haloalkyl, a benzyl, 4-methoxybenzyl, pentafluorophenyl or a group of formula

$$\bigcap_{\mathbf{R}^{\mathsf{b}}} (\mathbf{Y})_{\mathsf{p}}$$

in the presence of a catalyst and, if L² is a hydroxyl group, in the presence of a condensing agent.

18. (Currently amended) A process according to claim 17, characterised in that R^5 is a hydrogen atom and that the process is completed by a further step according to the following reaction scheme:

$$(X)_{n} R^{a}$$

$$(X)_{n} R^{a}$$

$$(X)_{n} R^{4} R^{3} Q$$

$$(Y)_{p}$$

$$(Y)_{p}$$

$$(Y)_{p}$$

$$(X)_{n} R^{4} R^{3} Q$$

$$(Y)_{p}$$

$$(Y)_$$

in which: $-R^4$, R^2 , R^3 , R^4 , R^a , R^b , X, Y, n and p are as defined in any of the claims 1 to 15;

- L⁵ is a leaving group chosen as being a halogen atom, a 4-methyl phenylsulfonyloxy or a methylsulfonyloxy; comprising the reaction of a compound of general formula (Id) with a compound of general formula (XXII) to provide a compound of general formula (I).

- **19.** (Currently amended) A fungicidal composition comprising an effective amount of a compound according to any of the claims 1 to 16 claim 1 and an agriculturally acceptable support.
- **20.** (Original) A method for preventively or curatively combating the phytopathogenic fungi of crops, characterised in that an effective and non-phytotoxic

amount of a composition according to claim 19 is applied to the plant seeds or to the plant leaves and/or to the fruits of the plants or to the soil in which the plants are growing or in which it is desired to grow them.